

# SEQUENCE LISTING

<110> Sapporo Breweries Ltd.

<120> A method for detecting and distinguishing obligatory anaerobic Gram-negative bacteria

<130> FP05-0056-00

<150> JP 2004-040,376

<151> 2004-02-17

<160> 8

<170> PatentIn version 3.1

<210> 1

<211> 1395

<212> DNA

<213> *Malephilus cerevisiae*

<220>

<221> source

<222> (1)..(1395)

<223> strain="SBC8034"

<220>

<221> misc\_feature

<222> (98)..(98)

<223> n stands for any base

<400> 1

tgagtggcga actggtgagt aacgcgtatc caacctggcc gtaagcagag aataggcttc	60
cgaagaaaag attaattgctc tatgtagtca cccgaagnca tcggaaggtg accaaagatc	120
cgtcgcttac ggatggggat gcgtctgatt aggcagttgg cggggcaaaag gcccacccaaa	180
ccgacgatca gtagggttct gagaggaagg tccccacat tggaactgag acacggtcca	240
aactcctacg ggaggcagca gtgaggaata ttggtcaatg ggcgagagcc tgaaccagcc	300
aagtagcgtg caggacgacg gccctatggg ttgtaaactg cttttgaagg ggaataaagt	360
gagcgacgtg tcgttcattg caagtaccct tggaataagg accggctaata tccgtgccag	420
cagccgcggt aatacgaag gtccggcggt tatccggtatt tattgggttt aaaggagcgc	480
taggccgctc tttaagcgtg ttgtgaaatg cagggtgcca acatctgcac tgcagcgcca	540
actggagagc ttgaggggcg acgacgcagg cggaatttgt ggtgtagcgg tgaatgcat	600
agatatcagc aagaaccccg attgcgaagg cagcttgccg gagcgacacg gacgctgaag	660
ctcgaaagtg caggatatca acaggattag ataccctggt agtctgcacg gtaaaccgatg	720
gatgcccggt ctgcggcctt cgggccgcgg gaccaagtga aagcattaag catccacacg	780
ggggagtacg ccggcaacgg tgaactcaa aggaattgac gggggcccgcc acaagcggag	840
gaacatgttg tttaattcga tgatacgca ggaaccttac ccgggcttga attgcagact	900
gaggtgccgg agacggcacc gtccttcggg aagtctgtga aggtgctgca tggttgtcgt	960
cagctcgtgc cgtgagggtg cggctcaagt gccataacga gcgcaacccc tgtctcccg	1020
tgccatcagg ttcaagctgg gcacaccgga gagactgccg ccgtaaggtg tgaggaaggt	1080
ggggatgacg tcaaatcagc acggccttac gtccggggct acacacgtgt tacaatggcc	1140
ggtacagagc gaaggcgtcc cgcaaggtcc gccgaagcgc caaagccggc ccaggtacgg	1200
actggggtot gcaaccogac cccacgaagc tggattcgct agtaatcgcg catcagccat	1260
gacgcggtga atacgttccc gggccttgta cacaccgccc gtcaagccat gaaagccggg	1320
agtgccgtgaa gtccgtgacc gcaaggatcg gcctagggca aaatcggtaa ttggggtgaa	1380

gtcgtaaaaa gggtg 1395

<210> 2  
<211> 20  
<212> DNA  
<213> Artificial

<220>  
<223> a primer

<400> 2  
ggaaggtgac caaagatccg 20

<210> 3  
<211> 22  
<212> DNA  
<213> Artificial

<220>  
<223> a primer

<400> 3  
ttgcaatgaa cgacacgtcg ct 22

<210> 4  
<211> 21  
<212> DNA  
<213> Artificial

<220>  
<223> a probe

<220>  
<221> modified\_base  
<222> (1)..(1)  
<223> LC Red640 labelled

<220>  
<221> modified\_base  
<222> (21)..(21)  
<223> phosphorylated

<400> 4  
gccccgcaa ctgcctaatac a 21

<210> 5  
<211> 22  
<212> DNA  
<213> Artificial

<220>  
<223> a probe

<220>  
<221> modified\_base  
<222> (22)..(22)  
<223> FITC labelled

<400> 5  
ctgatcgtcg gcttggtggg cc 22

<210> 6  
<211> 20  
<212> DNA  
<213> Artificial

<220>  
<223> a primer

<400> 6  
ggcttttctaa cagggtaccg 20

<210> 7  
<211> 22  
<212> DNA  
<213> Artificial

<220>  
<223> a probe

<220>  
<221> modified\_base  
<222> (1).. (1)  
<223> LC Red705 labelled

<220>  
<221> modified\_base  
<222> (22).. (22)  
<223> phosphorylated

<400> 7  
accgtcacca accagctaata ca 22

<210> 8  
<211> 21  
<212> DNA  
<213> Artificial

<220>  
<223> a universal primer for 16S rRNA gene

<400> 8  
tggagagttt gatcctggct c 21